

B-HAV

B-HAV

ANSI B16.104

GB/T4213-2008

JB/T7387-2014

B-HAV

90

DN32 40 50 65 80 100

125 150 200 250

ANSI 150 300 600

PN16 PN40 PN63

FF RF RJ TG MFM

JB/T79.1-94 JB/T79.2-94

ANSI16.5-1981 HG

SCPH2

SCPH21

SCS13A SCS14A SCS16A SCS19A

V

CF

LCF

TF

LTF

SUS304 SUS316 SUS316L

STL

0.01

ANSI B16.104-1976

10 -7


ANSI 16.104-1976

1

3


 ± 1 ± 5

50:1



DN	A								
	ANSI 150Lb PN16 RF	JIS 16K RF	ANSI 300Lb PN40 MFM	ANSI 600RF PN63 MFM	ANSI 150 RJ	ANSI 300 RJ	ANSI 600 RJ	ANSI 300 TG	ANSI 600 TG
25	92	98	98	105	98	105	105	105	105
40	111	117	117	125	117	124	125	124	125
50	127	133	133	143	133	141	144	141	144
65	138	146	146	156	144	154	157	154	157
80	149	159	159	168	156	167	170	167	170
100	176	184	184	197	183	192	198	192	198
125	202	213	213	229	208	221	230	221	230
150	225	237	237	254	232	244	256	244	256

	40			50			65			80			100			125			150		
	20	25	32	25	32	40	32	40	50	40	50	65	50	65	80	65	80	100	80	100	125
Cv	11	17	24	17	24	44	24	44	68	44	68	99	68	99	175	99	175	275	175	275	395
	25						38									50					



DN	L						
	ANSI 150 RJ	ANSI 300 RJ	ANSI 600 RJ	ANSI 300 TG	ANSI600 TG	ANSI 150 SW BW	ANSI 300 600 SW BW
40	118	124	126	122	124	126	126
50	134	142	145	138	142	143	143
65	145	154	157	151	154	156	156
80	156	167	170	164	167	169	169
100	183						

H1

DN			H	C	E	H1	
25	IQL04 06	PN16 150Lb	565	172	70	100	
		PN40 300Lb					
		PN63 600Lb					
40							