

B-HTSW

B- HTSW
S

ANSI B16.104
GB/T4213-2008
JB/T7387-2014

DN32 40 50 65 80 100
125 150 200 250
ANSI 150 300 600
PN16 PN40 PN63
FF RF
RJ TG MFM
JB/T79.1-94 JB/T79.2-94
ANSI16.5-1981 HG

V

CF LCF
TF LTF
SUS304 SUS316 SUS316L
STL QPQ
WC

HA

20-100 80-240KPa
140-400KPa
Rc1/4”
-40-70

DN							
	ANSI 150 RJ	ANSI 300 RJ	ANSI 600 RJ	ANSI 300 LG	ANSI600 LG	ANSI 150 SW BW	ANSI 300 600 SW BW
40	235	248	251	244	248	251	251
50	267	283	289	276	283	286	286
65	289	308	314	302	308	311	311
80	311	333	340	327	333	337	337
100	365	384	397	378	391	394	394
150	464	489	511	483	505	473	508
200	556	584	613	578	606	568	610

DN			H	ΦB	C	E	kg
32	HA2D R	PN16 150Lb	500	267	281	70	31
		PN40 300Lb					36
		PN63 600LB					
40	HA2D R	PN16 150Lb	500	267	281	70	31
		PN40 300Lb					36
		PN63 600LB					
50	HA2D R	PN16 150Lb	500	267	281	80	37
		PN40 300Lb					42/47
		PN63 600LB					
65	HA3D R	PN16 150Lb	630	350	363	88	55
		PN40 300Lb					60/77
		PN63 600LB					
80	HA3D R	PN16 150Lb	635	350	363	98	65
		PN40 300Lb					75/97
		PN63 600LB					
100	HA3D R	PN16 150Lb	660	350	363	113	75
		PN40 300Lb					90/125
		PN63 600LB					
125	HA4D R	PN16 150Lb	935	470	520	146	175
		PN40 300Lb					218
		PN63 600LB					
150	HA4D R	PN16 150Lb	955	470	520	170	188
		PN40 300Lb					218/268
		PN63 600LB					
200	HA4D R	PN16 150Lb	1090	470	520	220	268
		PN40 300Lb					318/438
		PN63 600LB					
250	HA5D R	PN16 150Lb	1595	470	520	305	
		PN40 300Lb					
		PN63 600LB					