

B-HCP

B- HCP


S

GB/T4213-2008 JB/T7387-2014

§

		32			40			50			65			80		
		20	25	32	25	32	40	32	40	50	40	50	65	50	65	80
Cv			11	17	11	17	24	17	24	44	24	44	68	44	68	99
		o	o	o	o	o	o	o	o	o	o	o	o	o	o	o
		25									38					
		100			125			150			200			250		
		65	80	100	80	100	125	100	125	150	125	150	200	150	200	250
Cv		68	99	175	99	175	275	175	275	360	275	360	650	360	650	820
		o	o	o	o	o	o	o	o	o	o	o	o	o	o	o
		38			50						75			100		

o



DN	L						
	ANSI 150 RJ	ANSI 300 RJ	ANSI 600 RJ	ANSI 300 LG	ANSI600 LG	ANSI 150 SW BW	ANSI 300 600 SW BW
40	235	248	251	244	248	251	251
50	267	283	289	276	283	286	286
65	289	308	314	302	308	311	311
80	311	333	340	327	333	337	337
100	365	384	397	378	391	394	394
150	464	489	511	483	505	473	508
200	556	584	613	578	606	568	610

DN			H	ΦB	C	E	
32	HA2D R	PN16 150Lb	500	267	281	70	31
		PN40 300Lb					36
		PN63 600LB					
40	HA2D R	PN16 150Lb	500	267	281	70	31
		PN40 300Lb					36
		PN63 600LB					
50	HA2D R	PN16 150Lb	500	267	281	80	37
		PN40 300Lb					42/47
		PN63 600LB					
65	HA3D R	PN16 150Lb	630	350	363	88	55
		PN40 300Lb					60/77
		PN63 600LB					
80	HA3D R	PN16 150Lb	635	350	363	98	65
		PN40 300Lb					75/97
		PN63 600LB					
100	HA3D R	PN16 150Lb	660	350	363	113Ã	75
		PN40 300Lb					90/125
		PN63 600LB					
125	HA4D R	PN16 150Lb	935	470	520	146	175
		PN40 300Lb					218
		PN63 600LB					
150	HA4D R	PN16 150Lb	955	470	520	170	188
		PN40 300Lb					218/268
		PN63 600LB					
200	HA4D R	PN16 150Lb	1090	470	520	220	268
		PN40 300Lb					

