





d mm	$\Phi_{0.5}S$
3.0	3
4.0	5
5.0	8
6.0	12
8.0	18

-



WZE1-PK-26-A.1.M4.D.J.W 0 100 . L350.I200.A	
WZ	
E1	E1 Ex d CT4 T6 Gb tD A21 IP66 T85
	E2 Ex d BT4 Gb tD A21 IP66 T85
	E3 Ex ia CT4 T6 Ga
P	P Pt100 —200 650
K	1 or Non
	K

	1 or Non				
	2				
26					
	1	3 3mm		A 12mm	
	2	4 4mm		B 16mm	
	3	5 5mm		C 20mm	
	4	6 6mm		D 25mm	
	5	8 8mm			
	0	F			
A	A M20 1.5				
	B 1/2"NPT				
1					
	1	A	-50	450	
	2	B	-50	450	
	3	A	-200	150	
	4	A	-70	650	
5	A	-200	650		
M4	M		G		N F /
	1 M14 1.5	1 G1/4"		1 1/4"NPT	1 F6 1"1.5"2"
	2 M16 1.5	2 G3/8"		2 3/8"NPT	
	3 M20 1.5	3 G1/2"		3 1/2"NPT	
	4 M27 2	4 G3/4"		4 3/4"NPT	
	5 M33 2	5 G 1"		5 1"NPT	
D					
	D				
	K				
	T				
NUN					
W 0 100	0 100				
L350	L 350 mm				
l200	l 200 mm				
A	A 304SS				
	B 316SS				
	C 316L				
	H				
	Non				
	1				
	2				
	9				